

METHOD (complete one survey form per pond)

Aims: To find out if Small Fleabane is i) present at the site, ii) get an approximate idea of its location and abundance at the site, iii) collect physical data about the site that can be used to assess the reasons for any change recorded on future visits, and iv) look in any adjacent sites to see if Small Fleabane is present or absent.

- **Equipment:** It's helpful to take a camera (e.g. mobile phone camera) to take confirmatory photos of Small Fleabane, to take photos of your survey site for the record, and to take a photograph of your sketch maps if you don't have access to a scanner – alternatively you can post your survey forms to Freshwater Habitats Trust.
- **Survey timing:** Small Fleabane can be hard to identify in its vegetative form – so unless you are very confident in your identification, the best time to survey it is in summer when it is flowering. Small Fleabane typically flowers from late July until September.
- **Where to look:** Its habitat is best described as winter wet and heavily disturbed; typically where standing water collects during the winter, draining away to leave patches of muddy bare ground in the summer; or where damp ground is trampled by animal's hooves or rutted by vehicles.

Small Fleabane is very rare and most known sites are located within the New Forest. These sites are surveyed in detail every c.4-5 years. The PondNet survey forms have been designed to provide a consistent approach to monitoring at a national level and to allow local communities to monitor populations annually at Flagship Pond sites <https://freshwaterhabitats.org.uk/projects/flagship>.

- **Survey the pond:** The site will have a previous record for Small Fleabane, although the plant may not have been recorded for some time. Search the area indicated in your site pack for Small Fleabane plants.

If Small Fleabane plants are found at the site, count the total number of plants. If there are more than 200+ plants you may want to make an *estimate of the number of plants present*, and record the results as an abundance category (over page).

The best approach is to count the plants in a small area (e.g. 10 cm² or 1 m²), and multiply this by the area in which Small Fleabane plants are found. If Small Fleabane occurs in different densities in different parts of the site, make separate calculations for each area, and add them to give a total (see table over page). *Note: we only need the overall total for the site.*

- **Mark the location of plants:** Print a map to show *the location of Small Fleabane plants within the site*. This may help you and others in the future to search the same area. Remember to *fill out the pond habitat survey form* for each site surveyed – if the site is not a pond, some variable will not apply and you can leave them blank.
- **Record absence:** If Small Fleabane is *not found* at the site, please record this, and continue to fill out the environmental sheet. The findings will help identify reasons for the plant's absence from the site.
- **Check other habitat in the surrounds:** Finding out if Small Fleabane occurs in other nearby sites helps us to understand the species as part of a larger population. We would like you to visit as many suitable habitat patches as possible each year to monitor population change.
- **Mark the location of the habitat patches you've searched:** It will be helpful to revisit all surveyed habitat patches in future years. So, to ensure they can be found again by yourself or others please (a) provide an accurate grid reference and/or mark the locations on your PondNet base map, or (b) sketch a map of the location of habitat patches, and (c) take photos. Then, upload the maps and photos to the website.

Once completed, enter your results online: www.freshwaterhabitats.org.uk/projects/waternet, or email your recording forms and maps to Freshwater Habitats Trust and we can enter the data for you: info@freshwaterhabitats.org.uk.

What it looks like: Small Fleabane is an annual plant which usually grows to no more than 45cm. It can be distinguished by its hairy, multi-branched, reddish-brown stems which support multiple yellow flower heads. The bright yellow flowers are very compact with multiple hairy flower-bracts 'supporting' them. Along the reddish-brown stems the wavy edged leaves grow alternatively, like alternate steps, up the stem.



Small Fleabane:
(a) The sparsely vegetated habitat which Small Fleabane prefers © Biopix: [JC Shou](#)
(b) The hairy reddish-brown stems and bright yellow flower heads © Biopix: [JC Shou](#)

Your name	<input style="width:95%;" type="text"/>	Date	<input style="width:95%;" type="text"/>
Square: 4 figure grid ref e.g. SP1243 (see your map)	<input style="width:95%;" type="text"/>	Pond: 8 figure grid ref e.g. SP 1235 4325 (see your map)	<input style="width:95%;" type="text"/>
Pond name (if known)	<input style="width:95%;" type="text"/>		
Determiner name (<i>optional</i> - if someone confirms the identity of the species you've recorded)	<input style="width:95%;" type="text"/>	Voucher material (<i>optional</i> - comment if you've taken a photo to confirm identification)	<input style="width:95%;" type="text"/>

If you find Small Fleabane please take a confirmatory photo. You can also take a photo of your pond or your maps (or scan them if you have a scanner) and upload them with the record www.freshwaterhabitats.org.uk/projects/waternet.

Number of Small Fleabane plants

If there are many plants, count the number in a small area (i.e. 1m²) and multiply up. We've put a table below to help you keep track and make notes, but for the analysis **we only need a total**.

Areas where Small Fleabane was found (list): use this table to help with your number calculations, and so you/others can re-find plants on future visits.	Number of individuals
1.	<input style="width:95%;" type="text"/>
2.	<input style="width:95%;" type="text"/>
3.	<input style="width:95%;" type="text"/>
4.	<input style="width:95%;" type="text"/>
5.	<input style="width:95%;" type="text"/>

Total number of Small Fleabane (total count)

Provide a single total for the whole site based on an actual or estimated number of plants recorded

Total number of Small Fleabane (abundance category)

Then record the number of Small Fleabane found at the site using the following abundance categories:
1, 2-5, 6-10, 11-20, 21-50, 51-100, 101-200, 201-500, 501-1000, 1001-5000, 5001-10000, 10001-20000, 20001+

Small Fleabane looked for, but not found

Note: if you *don't* find evidence of Small Fleabane at the site, this is an important result so please still enter these findings online (tick box if none found)

Area of bare ground

% of the survey area where bare ground has been created by disturbance from people/livestock should include both wet and dry areas

Pond sketch map: Make a sketch map of your survey area and draw on the location of Small Fleabane: use shading if they cover a broad area, or 'x' marks the spot if there are just a few plants.

Location map: Use this box to show the location of the survey area and surrounding habitat patches you searched (or mark the information on the base map included in your site information pack).

Please complete a POND HABITAT SURVEY sheet at each area surveyed.

This is a really important part of the survey. Please complete this form whether Small Fleabane is present or absent. Each variable provides information known to be linked to site quality and community type, and can be used to investigate reasons for change in Small Fleabane occurrence. If you are surveying non-pond habitat – complete all variables that apply.

Go to: www.freshwaterhabitats.org.uk/projects/pondnet/survey-options/habitats for survey guides and more information.

Is the pond new? (less than 10 yrs old)
yes, no, unknown

Year of creation?
date, decade, unknown

Pond Altitude
(m)

Area
 m²

Note: This is the *surface area of the pond when the water is at its highest level (usually in early spring)*. It will probably *not* be the current water level of the pond. The high water level line should be evident from wetland vegetation like rushes at the pond's outer edge. Measure by pacing (single pace = 0.8-1m) or use online maps.

Pond dries?

1 = never dries
2 = rarely dries
3 = sometimes
4 = annually

1 = Never dries, 2 = Rarely dries: no more than two years in any ten year period, or only in drought, **3 = Sometimes dries:** dries between three years in ten to most years, **4 = Dries annually.** Deduce pond permanence from local knowledge (e.g. landowner) and personal judgement e.g. water level at the time of the survey. Ponds that dry out annually usually have a hard base.

Overhanging trees & shrubs

% of pond overhung by trees and shrubs

% pond margin overhung to at least 1m from the pond margin

This is an estimate of how much of the pond is *directly* overhung by trees and shrubs, i.e. that would be shaded if the sun was overhead (use the diagram (below) as a guide).

Waterfowl impact

1 = major
2 = minor
3 = none

Major = severe impact of waterfowl e.g. few or no submerged plants, water turbid, pond banks have patches where vegetation removed, feed put down; **Minor** = waterfowl present, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; **None** = no evidence of waterfowl impact (moorhens may be present).

Fish presence

1 = major
2 = minor
3 = possible
4 = absent

Major = dense populations of fish known to be present; **Minor** = small numbers of Crucian Carp, goldfish or stickleback known to be present; **Possible** = no evidence of fish, but local conditions suggest that they may be present; **Absent** = no records of fish stocking and no fish revealed during survey.

Disturbance by dogs

1 = major
2 = minor
3 = none

Major = dogs repeatedly use the pond, compacted edges with little vegetation, water very turbid; **Minor** = dogs use the pond, but little impact on pond vegetation, pond still supports submerged plants and banks are not denuded of vegetation; **None** = no evidence that dogs are using the pond.


Aquatic vegetation: includes emergent, floating and submerged plants

 %

% of the whole pond (wet and dry) occupied by emergent vegetation – incl. plants like grasses, water mint and rushes, but not floating (e.g. pondweed) or submerged (e.g. water-crowfoot) species.

 %


% of pond water surface area covered by all vegetation (emergent, floating (excl. duckweed) and submerged).


Water left in the pond
 %

% of water area in pond relative to maximum water level. This can be 0% if the pond has dried out.

 cm

Drawdown. The height drop from the maximum winter water level to current level (see diagram).


Grazing

Tick if there is evidence the pond is grazed by livestock. If **yes**, complete the following boxes:

 %

% of whole pond grazed (note: stock can wade into shallow ponds to graze).

 %

% of pond perimeter grazed (note: stock can wade into shallow ponds to graze otherwise inaccessible edges).

Grazing intensity: rank 1-5 (1=inrequent or low intensity to 5 = margins heavily poached and almost bare).

Pond management (tick): use tick boxes to list management within the last 12 months. Use 'other' box for any extra info.

 Fully dredged

 Partly dredged

 >5% vegetation removed

 <5% vegetation removed

 Trees planted

 Trees clear-felled

 Trees cut back / coppiced

 Pond changed shape / size

 Plants introduced

 Bank plants mown

 Structural work e.g. to dam

 Straw added

Add other or more detail

Water quality:

Turbidity / water clarity: Estimate turbidity looking down into c.20cm depth of water in the pond.

1 = clear; 2 = moderately clear; 3 = moderately turbid; 4 = turbid

Inflows and outflows: (tick if inflow or outflow present or leave blank)

Inflow present Outflow present

Water chemistry: If suitable kits and meters are available (or leave blank)

pH Conductivity ($\mu\text{S cm}^{-1}$)

Nitrate (NO_3^- -N ppm): PPW kits provided by FHT (tick one from the following range categories)

Phosphate (PO_4^{3-} -P ppm): PPW kits provided by FHT (tick one from the following range categories)

<0.2	0.2-0.5	0.5-1	1-2	2-5	5-10	10 +	<0.02	0.02-0.05	0.05-0.1	0.1-0.2	0.2-0.5	0.5-1	1 +
<input type="checkbox"/>													

Pond base: This refers to the *geology* (i.e. rock-type) that immediately underlies the pond. You may know, or be able to see the underlying geology in the base or banks of the pond, especially in new ponds. If not, check a geology map or leave this section blank. Choose one of the following to categorise the % composition of **each** of pond base: 1= 0-32%, 2= 33-66%, 3= 67-100%

Silt/ clay Sand, gravel, cobbles Hard rock Peat Other (please specify)

Surrounding land use: Estimate the *percentage* of surrounding land-use in distance zones from the pond perimeter (i.e. the maximum winter water level) used to assess pond area. In many ponds the 0-5m zone will include surrounding trees/scrub.

Habitat	0-5m	0-100m	Examples
Trees, woodland & scrub	%	%	Deciduous and coniferous woodland, individual trees, scrub and hedgerows.
Heath & moorland			Lowland and upland heathland, moorland and mountain; includes bracken.
Rank vegetation			Unmanaged grass, neglected and abandoned land, set-aside, verges and buffer strips.
Unimproved grassland			Herb-rich, calcareous and acid grassland (good quality plant indicators usually present). Low percentage of agricultural grasses. Not fertilised, little or no drainage.
Semi-improved grassland			A transition category. Grasslands modified by fertilisers, drainage, herbicides or intensive grazing, but retaining elements of natural grassland types in the area.
Improved grassland			Fertile agricultural grass, often bright green and lush; including parks and golf greens.
Arable			All crops. Includes flower and fruit crops (e.g. strawberries) and ploughed land.
Urban buildings & gardens			Areas in curtilage (associated with buildings); including glass-houses and farm yards.
Roads, tracks & paths			Including car-parks and footpaths.
Rock, stone & gravel			Cliffs, rock-outcrops, gravel-pits, quarries, areas of sand and gravel or stone.
Bog, fen, marsh & flush			Wetland vegetation and blanket bog.
Ponds & lakes			Permanent and seasonal waterbodies; including trackway pools.
Streams & ditches			Rivers, streams, ditches, springs and canals.
Other (state)			E.g. maritime vegetation, saltmarsh, sand-dune, orchards and railways.

Is the pond in a protected area? (e.g. nature reserve, SSSI, etc.) (choose one option - yes, no, unknown)

New Zealand Pigmyweed *Crassula helmsii*: This non-native weed may have an impact on this species.

% of drawdown zone occupied by New Zealand Pigmyweed

Identification of New Zealand Pigmyweed:

- Can be submerged, emergent and terrestrial.
- Forms dense mats below and above the water surface.
- The flowers it has, if any at all, are very small (less than 1cm) whitish-green to slightly pink with 4 petals.
- Leaves are up to 2cm long in opposite pairs - fleshy for emergent plants, but flatter for submerged parts of the plant.
- Similar species (such as the Water-starworts) do not have fleshy leaves. Water-starworts also have a notch at the leaf tip which is absent in New Zealand Pigmyweed.



Other invasive non-native species:

(tick all that apply)

- | | | |
|--|---|---|
| <input type="checkbox"/> Parrot's Feather
<i>Myriophyllum aquaticum</i> | <input type="checkbox"/> Floating Pennywort
<i>Hydrocotyle ranunculoides</i> | <input type="checkbox"/> Non-native Pondweed, e.g.:
Canadian Pondweed <i>Elodea canadensis</i> ,
Nuttall's Pondweed <i>Elodea nutallii</i> ,
Curly Waterweed <i>Lagarosiphon major</i> |
| <input type="checkbox"/> Water Fern
<i>Azolla filiculoides</i> | | |

How much of pond perimeter could be surveyed? Note areas of pond not accessible.

Comments box: e.g. new ownership, changes since previous visit, any other information about the pond or survey species.